Abbreviation	Meaning
#	fracture
A&E	accident and emergency
a.c.	before meals
a.m., am, AM	morning
AF	atrial fibrillation
АМНР	approved mental health professional
APTT	activated partial thromboplastin time
ASQ	ages and stages questionnaire
b.d.s, bds, BDS	2 times a day
b.i.d., bid, bd	twice a day / twice daily / 2 times daily
BMI	body mass index
BNO	bowels not open
ВО	bowels open
ВР	blood pressure

Abbreviation	Meaning
c/c	chief complaint
CMHN	community mental health nurse
CPN	community psychiatric nurse
CSF	cerebrospinal fluid
CSU	catheter stream urine sample
CT scan	computerised tomography
CVP	central venous pressure
CXR	chest X-ray
DNACPR	do not attempt cardiopulmonary resuscitation
DNAR	do not attempt resuscitation
DNR	do not resuscitate
Dr	doctor
DVT	deep vein thrombosis
Dx	diagnosis
ECG	electrocardiogram

Abbreviation	Meaning
ED	emergency department
EEG	electroencephalogram
EMU	early morning urine sample
ESR	erythrocyte sedimentation rate
EUA	examination under anaesthetic
FBC	full blood count
FY1 FY2	foundation doctor
GA	general anaesthetic
gtt., gtt	drop(s)
h., h	hour
h/o	history of
НЬ	haemoglobin
НСА	healthcare assistant
HCSW	healthcare support worker
HDL	high-density lipoprotein

Abbreviation	Meaning
HRT	hormone replacement therapy
Ht	height
Нх	history
i	1 tablet
ii	2 tablets
iii	3 tablets
i.m., IM	injection into a muscle
i.v., IV	injection directly to a vein
INR	international normalised ratio
IVI	intravenous infusion
IVP	intravenous pyelogram
Ix	investigations
LA	local anaesthetic
LDL	low-density lipoprotein
LFT	liver function test

Abbreviation	Meaning
LMP	last menstrual period
M/R	modified release
MRI	magnetic resonance imaging
MRSA	methicillin resistant staphylococcus aureus
MSU	mid-stream urine sample
n.p.o., npo, NPO	nothing by mouth / not by oral administration
NAD	nothing abnormal discovered
NAI	non-accidental injury
NBM	nil by mouth
NG	nasogastric
nocte	every night
NoF	neck of femur
NSAID	non-steroidal anti-inflammatory drug
o.d., od, OD	once a day
o/e	on examination

Abbreviation	Meaning
OT	occupational therapist
p.c.	after food
p.m., pm, PM	afternoon or evening
p.o., po, PO	orally / by mouth / oral administration
p.r., pr, PR	rectally
p.r.n., prn, PRN	as needed (also pertactin, a key antigen of ac. pertussis vaccine)
p/c	presenting complaint
physio	physiotherapist
POP	plaster of paris
PTT	partial thromboplastin time
PU	passed urine
q.	every
q.1.d., q1d	every day
q.1.h., q1h	every hour
q.2.h., q2h	every 2 hours

Abbreviation	Meaning
q.4.h., q4h	every 4 hours
q.6.h., q6h	every 6 hours
q.8.h., q8h	every 8 hours
q.d., qd	every day / daily
q.d.s, qds, QDS	4 times a day
q.h., qh	every hour, hourly
q.i.d, qid	4 times a day
q.o.d., qod	every other day / alternate days
q.s., qs	a sufficient quantity (enough)
RN	registered nurse
RNLD	learning disability nurse
ROSC	return of spontaneous circulation
RTA	road traffic accident
Rx	treatment
s.c., SC	injection under the skin

Abbreviation	Meaning
S/R	sustained release
SLT	speech and language therapist
SpR	specialist registrar
stat.	immediately, with no delay, now
STEMI	ST-elevation myocardial infarction
t.d.s, tds, TDS	3 times a day
t.i.d., tid	3 times a day
TCI	to come in
TFT	thyroid function test
TPN	total parenteral nutrition
TPR	temperature, pulse and respiration
TTA	to take away
ТТО	to take out
U&E	urea and electrolytes
u.d., ud	as directed

Abbreviation	Meaning
UCC	urgent care centre
UTI	urinary tract infection
VLDL	very-low density lipoprotein
VTE	venous thromboembolism
Wt	weight